

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6738978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:56
L2	1	L1 and (sorted with based with particular with category)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:56
L3	2	"6738978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:57
L4	5	(382/115-127.ccls. or 340/5.53,5.83.ccls.) and ((extract\$3 or use or using or select\$3 or choos\$3) with ((when or upon) near2 (fail\$4 or reject\$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 10:57
L5	0	(382/115-127.ccls. or 340/5.53,5.83.ccls.) and ((extract\$3 or use or using or select\$3 or choos\$3) near2 (another different alternative) with ((when or upon) near2 (fail\$4 or reject\$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 10:57
L6	63	382/115-127.ccls. and (retry or (try near again) or (upon near2 (fail\$4 or reject\$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 10:57
L7	3	("4641349" "5073949" "5815252").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 10:57
L8	122	382/116.ccls.	USPAT	OR	OFF	2005/04/08 10:57
L9	15	upon near (failure) near3 (retry or (try near again))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:57
L10	120	(failure) near (retry or (try near again))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40904	(fail\$3 or unsuccessful\$4 or ("not" adj successful\$4) or inadequac\$3) with (identif\$8 or verif\$8 or match\$3 or collat\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L2	18066	(fail\$3 or unsuccessful\$4 or ("not" adj successful\$4) or inadequac\$3) near2 (identif\$8 or verif\$8 or match\$3 or collat\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L3	451	((fail\$3 or unsuccessful\$4 or ("not" adj successful\$4) or inadequac\$3) near2 (identif\$8 or verif\$8 or match\$3 or collat\$8)) with (retry\$3 or retrial or (try\$3 near again) repeat\$3 or (another near trial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L4	1178	382/115-118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L5	2	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L6	194	"340"/\$.ccls. and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L7	14	"340"/\$.ccls. and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L8	146	382/116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L9	113	L2 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:59
L10	702	707/7.ccls.	USPAT	OR	OFF	2005/04/08 10:59
L11	7	707/7.ccls. and (register\$3 same person\$1)	USPAT	OR	OFF	2005/04/08 11:00

L12	37	707/7.ccls. and (register\$3 same individual\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:00
L13	33078	"705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:00
L14	6974	13 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:00
L15	63	14 and (register\$3 near person\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:01
L16	102	11 or 12 or 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:02
L17	63	16 and period\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:02
L18	12	16 and (elaps\$ near (time or period\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:03
L19	30	16 and frequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	141	(sort\$3) with (process\$3) with only with information	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L2	0	(sort\$3) with (process\$3) with retain\$3 with important with information	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L3	0	(sort\$3) with (process\$3) near20 retain\$3 with important with information	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L4	23	(sort\$3) with (process\$3) with important with information	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L5	1	707/7.ccls. and (sort\$3 with high\$7 with only with position\$1)	USPAT	OR	OFF	2005/04/08 11:04
L6	16	707/7.ccls. and (sort\$3 with based with position\$1)	USPAT	OR	OFF	2005/04/08 11:04
L7	1	"5841888".pn.	USPAT	OR	OFF	2005/04/08 11:04
L8	1	"5841888".pn. and sort\$3	USPAT	OR	OFF	2005/04/08 11:04
L9	1	"5841888".pn. and subset\$3	USPAT	OR	OFF	2005/04/08 11:04
L10	1381	time near sort\$3	USPAT	OR	OFF	2005/04/08 11:04
L11	0	comput\$3 near time near sort	USPAT	OR	OFF	2005/04/08 11:04
L12	0	comput\$3 near time near sort\$1	USPAT	OR	OFF	2005/04/08 11:04
L13	4	determin\$3 near time near sort\$1	USPAT	OR	OFF	2005/04/08 11:04
L14	340	382/117-118.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L15	2265	382/115-119,124,224,190,218.ccls. 902/3.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L16	3535	382/115-119,124,224,190,218.ccls. 902/3.ccls. 340/5.1,5.2,5.21,5.3,5.31,5.32,5.33,5.52,5.53,5.8,5.81,5.82,5.83,5.86.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L17	702	707/7.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L18	3646	382/115-119,124,224,225,190,218.ccls. 902/3.ccls. 340/5.1,5.2,5.21,5.3,5.31,5.32,5.33,5.52,5.53,5.8,5.81,5.82,5.83,5.86.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L19	1173	707/6.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L20	2800079	sort\$3 order\$3 assort\$3 arrang\$3 catalog\$3 categoriz\$3 classif\$7 group\$3 rank\$3 index\$3	USPAT	OR	OFF	2005/04/08 11:04
L21	324	382/117-118.ccls. and (sort\$3 order\$3 assort\$3 arrang\$3 catalog\$3 categoriz\$3 classif\$7 group\$3 rank\$3 index\$3)	USPAT	OR	OFF	2005/04/08 11:04

L22	598	382/117-118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L23	8989319	sort\$3 order\$3 assort\$3 arrang\$3 catalog\$3 categoriz\$3 classif\$7 group\$3 rank\$3 index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L24	349919	(sort\$3 order\$3 assort\$3 arrang\$3 catalog\$3 categoriz\$3 classif\$7 group\$3 rank\$3 index\$3) near3 (information\$1 user\$1 person\$1 people individual\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L25	2	(extract\$3 near3 (different or other or another) near2 (characteristic\$1 or feature\$1 or information) with (fail\$3))	USPAT	OR	OFF	2005/04/08 11:04
L26	0	382/116.pn.	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L27	141	382/116.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L28	5192	tim\$3 near2 sort\$3	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L29	3646	382/115-119,124,224,225,190,218. ccls. 902/3.ccls. 340/5.1,5.2,5.21,5. 3,5.31,5.32,5.33,5.52,5.53,5.8,5.81, 5.82,5.83,5.86.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L30	10936	tim\$3 near5 sort\$3	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L31	2	"6608914".pn. "6466685".pn.	USPAT	OR	OFF	2005/04/08 11:04
L32	7	("3805238" "5550928" "5559504" "5901244" "6049875" "6118888" "6230126").PN.	USPAT	OR	OFF	2005/04/08 11:04
L33	2	"5982912".pn. "4752957".pn.	USPAT	OR	OFF	2005/04/08 11:04
L34	3	("4975969" "5719951" "5835616").PN.	USPAT	OR	OFF	2005/04/08 11:04
L35	6	("3688267" "3700815" "3906446" "4060694" "4081607" "4282403").PN.	USPAT	OR	OFF	2005/04/08 11:04
L36	4	(382/115-119,124,224,225,190,218. ccls. 902/3.ccls. 340/5.1,5.2,5.21,5. 3,5.31,5.32,5.33,5.52,5.53,5.8,5.81, 5.82,5.83,5.86.ccls.) and 707/7.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L37	42	(382/115-119,124,224,225,190,218. ccls. 902/3.ccls. 340/5.1,5.2,5.21,5. 3,5.31,5.32,5.33,5.52,5.53,5.8,5.81, 5.82,5.83,5.86.ccls.) and 707/6.ccls.	USPAT	OR	OFF	2005/04/08 11:04

L38	12	382/117-118.ccls. and 382/224.ccls.	USPAT	OR	OFF	2005/04/08 11:04
L39	50	("5821871" "4506111" "5241606" "5602908" "5729334" "5986565" "5995639" "6070141" "6181806" "6314196" "4908848" "6317700" "5267307" "5386303" "6088007" "6430711" "6163799" "5953705" "6393138" "6549913" "6671508" "5019697" "5276876" "5371536" "5423079" "5455941" "5508819" "5509083" "5831533" "5893032" "5982912" "6078282" "6085603" "6160904" "6178298" "6182027" "6226905" "6430306" "6564323" "6484260" "5869822" "5999607" "4759056" "4961217" "5440625" "5524049" "5225809" "5705982" "5812067" "6070167").pn.	USPAT	OR	OFF	2005/04/08 11:04
L40	218	((sort\$3 order\$3 assort\$3 arrang\$3 catalog\$3 categoriz\$3 classif\$7 group\$3 rank\$3 index\$3) near3 (information\$1 user\$1 person\$1 people individual\$1)) and 382/117-118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L41	7	("3805238" "5550928" "5559504" "5901244" "6049875" "6118888" "6230126").PN.	USPAT	OR	OFF	2005/04/08 11:04
L42	5	(extract\$3 near3 (different or other or another) near2 (characteristic\$1 or feature\$1 or information) with (fail\$3))	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L43	17	382/116.ccls. and fail	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L44	1	382/116.ccls. and retry	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L45	3	382/117-118.ccls. and retry	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L46	5	382/117-118.ccls. and (retry\$3 or re-try\$ing or (try\$3 near again))	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L47	28	382/117-118.ccls. and (false near (negative\$1 or rejection\$1))	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L48	1	"5991429".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L49	1	"6430306".pn. and updat\$3	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L50	8	(tim\$3 near2 sort\$3) and (382/115-119,124,224,225,190,218. ccls. 902/3.ccls. 340/5.1,5.2,5.21,5. 3,5.31,5.32,5.33,5.52,5.53,5.8,5.81, 5.82,5.83,5.86.ccls.)	USPAT	OR	OFF	2005/04/08 11:04

L51	1	"20010026634".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L52	59	(382/115-119,124,224,225,190,218. ccls. 902/3.ccls. 340/5.1,5.2,5.21,5. 3,5.31,5.32,5.33,5.52,5.53,5.8,5.81, 5.82,5.83,5.86.ccls.) and (tim\$3 near5 sort\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/08 11:04
L53	4	("5991429" "6430306" "5841888" "5995639").pn.	USPAT	OR	OFF	2005/04/08 11:04
L54	0	biometrics and (failure same retry)	USPAT	OR	OFF	2005/04/08 11:04
L55	1125	failure same retry	USPAT	OR	OFF	2005/04/08 11:04
L56	0	(failure near identify) with retry	USPAT	OR	OFF	2005/04/08 11:04
L57	0	(failure near4 identify) with retry	USPAT	OR	OFF	2005/04/08 11:04
L58	3	(failure near4 identify) same retry	USPAT	OR	OFF	2005/04/08 11:04
L59	17690	(obtain\$3 detect\$3) with (multiple various many two three plural\$6) with (failure retry\$3 fault\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L60	19	((obtain\$3 detect\$3) with (multiple various many two three plural\$6) with (failure retry\$3 fault\$1)) and (biometric\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L61	21	((obtain\$3 detect\$3) with (multiple various many two three plural\$6) with (failure retr\$3 fault\$1)) and (biometric\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L62	2	((obtain\$3 detect\$3) with (multiple various many two three plural\$6) with (failure retr\$3 fault\$1)) and (biometric\$1)) not (((obtain\$3 detect\$3) with (multiple various many two three plural\$6) with (failure retry\$3 fault\$1)) and (biometric\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L63	492	failure near3 (retry or retried)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L64	3	(failure near3 (retry or retried)) with image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L65	1	"5973731".pn.	USPAT	OR	OFF	2005/04/08 11:04

L66	3	("5291560" "6119096" "5910988"). pn.	USPAT	OR	OFF	2005/04/08 11:04
L67	2378	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") near2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L68	5	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") adj2 (descend\$3 or increas\$3 or grow\$3 declin\$4 or dip\$4 or augment\$3 or increment\$4) adj2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L69	1620	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") adj2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L70	910	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") adj2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1) and (identif\$6 or authentikat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L71	542	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") adj2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1) and (identification or authentikat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04
L72	98	(sort\$3 or order\$3 assort\$3 arrang\$4 categoriz\$5 group\$3 rank\$3 sift\$3 systematiz\$5 order\$3) adj2 (based or depend\$3 or "as a result") adj2 (frequenc\$3 or time\$1 or interval\$1 or period\$1 or lapse\$1) and ((personal near identification) or authentikat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 11:04